


1 / 2 9

F i g . 1



27 / 29

Fig. 2




Fig. 3






Fig. 4




5 / 29

Fig. 5




6 / 29

Fig. 6



7 / 29

Fig. 7



8 / 29

Fig. 8




Fig. 9





Fig. 10



11 / 29

Fig. 11

NUMBER (CHUNK_SIZE*8/(BR_STREAM_TOTAL/N))/(MTU_SIZE*8/BR_NET) OF PACKET






Fig. 12




13/29

Fig. 13




14 / 29

Fig. 14




15/29

Fig. 15 PRIOR ART




16 / 29

Fig. 16




17/29

Fig. 17




18/29

Fig. 18




19/29

Fig. 19



20/29


Fig. 20



21 / 29


Fig. 21

a (QUANTIZATION DISCRETE COSINE TRANSFORM COEFFICIENT)



22/29

Fig. 22



અનુભૂતિ કરી શકતું હોય એવી સ્વરૂપો

23/29

Fig. 23

$$F'(u, v) = \frac{F(u, v)}{\left(2^{p_1/2} \cos \frac{u\pi}{4N/2} \cdot \cos \frac{v\pi}{4N/2^2} \cdots \cos \frac{u\pi}{4N/2^{p_1}}\right) \left(2^{p_2/2} \cos \frac{v\pi}{4N/2} \cdot \cos \frac{v\pi}{4N/2^2} \cdots \cos \frac{v\pi}{4N/2^{p_2}}\right)} \quad \dots(15)$$

$$f(x, y) = \frac{2}{N} \sum_{u=0}^{b_1-1} \sum_{v=0}^{b_2-1} C(u)C(v) F(u, v) \cos \frac{(2x+1)u\pi}{2N} \cos \frac{(2y+1)v\pi}{2N} \quad \dots(29)$$

$$C(p) = \begin{cases} 1 / \sqrt{2} & p = 0 \\ 1 & p \neq 0 \end{cases} \quad \dots(30)$$

$$C_a^b = \cos \left(\frac{a\pi}{b} \right) \quad \dots(31)$$

Fig. 24 A





Fig. 24 B



25/29

Fig. 25





Fig. 26

PRIOR ART



27/29

Fig. 27





Fig. 28

PRIOR ART



29/29

PRIOR ART

Fig. 29

